De luxe®

FREE-STANDING COOKERS

De luxe®

Kitchen is something more than just a cooking place. It associates with a fireside that was a hallow place in ancient times. Cooker is a family hearth with the help of which it is possible to cook culinary masterpieces. Cookers by De luxe are designed to provide comfort, safety and convenience for best cooking.

MODES *FUNCTIONS*COMFORT*SAFETY

Express-burner

Due to higher power a burner of fast heating saves cooking time

Mechanical timer

60 m mechanical timer helps to measure time for cooking accurately and signal when it is necessary to turn an oven off

Oven lightning

Oven lightning gives you better overview and prevents heat loss that is possible while opening an oven door

Upper and lower classic heating

Used for baking and frying at the same level.
Both upper and lower heating elements are active.

Lower gas heating

Classical heating mode of a gas oven.
Used for all types of cooking.

Oven electrical ignition

Electrical ignition allows to ignite a gas burner without using matches. It is enough to push the button and we have a flame burning sparkle.

Energy Efficiency Class A

Electricity conservation

Oven system «Gas control»

Provides safety, automatically shutting down gas feed to burners, if flame fades.

Thermoregulator

Device keeping an established temperature mode in an oven.

Cooktop electrical ignition

Electrical ignition allows to ignite a gas burner without using matches. It is enough to push the button and we have a flame burning sparkle.

Cooktop system «Gas control»

Provides safety, automatically shutting down gas feed to burners, if flame fades.

Rotisserie grill

Using grill together with a rotisserie allows to reduce cooking time. In this case food is fried evenly with a golden brown and crispy crust.

Gas grill

Creates the effect similar to coals in a brazier.
It is perfect for baking and getting a golden brown crust

GAS COOKERS

GAS COOKERS

5040.31 r

5040.33 r

5040.36 r

5040.37 r

5040.38 r



- 4 gas burners 1,0/1,75/1,75/3,0 kW
- protection from accidental activation
- «little flame» function
- electrical oven with volume 43l
- oven system «gas control»
- main oven burner 2,5 kW
- oven door with STOP function
- glass or metal cover of cooktop
- double heat resistant oven door
- utensils compartment
- cast-iron or enamel grids

MODEL	5040.31 r	5040.33 r	5040.36 r	5040.37 r	5040.38 r
Roasting burner (grill)	1,5 kW	–	–	–	–
Electrical ignition of cooktop burners	+	+	+	–	–
Rotisserie with electromotor	+	–	–	–	–
Thermoregulator	+	+	–	–	–
Mechanical timer	+	+	–	–	–
Oven lightning	+	+	+	–	–

5040.41 г

5040.44 г



- 4 gas burners 1,0/1,75/1,75/3,0 kW
- protection from accidental activation
- «little flame» function
- gas oven with volume 43l
- oven system «gas control»
- cooktop system «gas control»
- main burner power 2,5 kW
- oven door with STOP function
- glass door of cooktop
- double heat resistant oven glass
- utensils compartment
- cast-iron grids

MODEL	5040.41 г	5040.44 г
Roasting burner (grill)	1,5 kW	–
Electrical ignition of cooktop burners	+	+
Rotisserie with electromotor	+	–
Thermoregulator	+	–
Mechanical timer	+	–
Oven lightning	+	+

GAS COOKERS

506040.01 r

506040.03 r

506040.04 r

506040.05 r



- 4 gas burners 1,0/1,75/1,75/3,0 kW
- «little flame» function
- gas oven with volume 54l
- oven system «gas control»
- thermoregulator
- main burner power 2,5 kW
- oven lightning
- oven door with STOP function
- glass or metal cover of cooktop
- double heat resistant oven glass
- utensils compartment
- cast-iron or enamel grids

MODEL	506040.01 r	506040.03 r	506040.04 r	506040.05 r
Roasting burner (grill)	2,0 kW	–	–	–
Electrical ignition of cooktop burners	+	+	+	–
Electrical ignition of oven burners	+	+	+	–
Rotisserie with electromotor	+	–	–	–
Thermoregulator	+	+	–	–
Mechanical timer	+	+	–	–

GAS COOKERS

606040.24 r 002

OG-6040

F6IP40GF-W

606040.24 r 002



- 4 gas burners 1,0/1,65/2,59/2,59 kW
- cast-iron grids
- electrical ignition of cooktop burners
- gas oven with volume 65l
- oven system «gas control»
- main burner power
- oven lightning
- cooktop glass cover
- double heat resistant oven glass
- utensils compartment drawer
- mechanical timer

OG-6040

- 4 gas burners 0,89/1,61/1,61/2,55 kW
- cast-iron grids
- electrical ignition of cooktop burners
- gas oven with volume 66l
- main burner power 2,22 kW
- oven lightning
- mechanical timer
- cooktop glass cover
- double heat resistant oven glass
- rotisserie with electromotor
- roasting burner(grill) 1,89 kW

F6IP40GF-W

- 4 gas burners 0,90/1,55/1,55/2,60 kW
- cast-iron grids
- electrical ignition of cooktop burners
- gas oven with volume 62l
- main burner power 2,75 kW
- oven lightning
- mechanical timer
- cooktop glass cover
- double heat resistant oven glass
- roasting burner(grill) 2,20 kW

GAS COOKER WITH ELECTRICAL OVEN

GAS COOKER WITH ELECTRICAL OVEN

5040.20 гэ

5040.21 гэ



- 4 gas burners 1,0/1,75/1,75/3,0 kW
- protection from accidental activation
- «little flame» function
- electrical oven with volume 43l
- lower heating element 1,2 kW
- upper heating element 0,8 kW
- non-recurrent consumed power 2,0 kW
- thermoregulator
- oven door with STOP function
- cooktop glass cover
- double heat resistant oven glass
- utensils compartment
- cast-iron grids

MODEL	5040.20 гэ	5040.21 гэ
Electrical ignition of cooktop burners	+	–
Electrical grill	1,8 kW	–
Rotisserie with electromotor	+	–
Mechanical timer	+	–
Oven lightning	+	–

GAS COOKER WITH ELECTRICAL OVEN

506040.00 гэ



- 4 gas burners 1,0/1,75/1,75/3,0 kW
- «little flame» function
- electrical oven with volume 54l
- thermoregulator
- lower heating element 1,2 kW
- upper heating element 0,8 kW
- non-recurrent consumed power 2,0 kW
- oven door with STOP function
- cooktop glass cover
- double heat resistant oven glass
- utensils compartment
- cast-iron grids

MODEL	506040.00 гэ
Electrical ignition of cooktop burners	+
Electrical grill	1,8 kW
Rotisserie with electromotor	+
Mechanical timer	+
Lightning	+



COMBINED COOKERS WITH ELECTRICAL OVEN

COMBINED COOKERS WITH ELECTRICAL OVEN

5422.01 гэ

- 2 electrical hot plates
- 2 gas burners
- protection from accidental activation
- «little flame» function
- electrical oven with volume 53l
- low heating element 1,2 kW
- upper heating element 0,8 kW
- thermoregulator
- oven door with STOP function
- double heat resistant oven glass
- oven lightning
- cooktop metal cover
- utensils compartment

MODEL	5422.01 гэ
Gas burner power	1,7 kW 1,7 kW
Electrical hot plate power	1,5 kW 2,0 kW
Rotisserie with electromotor	–
Non-recurrent consumed power	5,5 kW
Electrical ignition of cooktop	+
Mechanical timer	+

COMBINED COOKERS WITH ELECTRICAL OVEN

506031.00 гэ

506031.01 гэ



- 3 gas burners 1,0/1,7/3,0 kW
- «little flame» function
- electrical ignition of cooktop burners
- 1 electrical burner
- electrical oven with volume 54l
- lower heating element 1,2 kW
- upper heating element 0,8 kW
- thermoregulator
- non-recurrent consumed power 2,0 kW
- oven door with STOP function
- cooktop glass door
- oven lightning
- double heat resistant oven glass
- utensils compartment
- enamel grids

MODEL	506031.00 гэ	506031.01 гэ
Electrical burner power	1,5 kW	1,0 kW
Electrical ignition of cooktop	+	–
Electrical grill	1,8 kW	–
Rotisserie with electromotor	+	–
Mechanical timer	+	–

ELECTRICAL COOKERS

ELECTRICAL COOKERS

5004.10 э

5004.12 э

5004.13 э

5004.14 э

5003.17 э



- protection from accidental activation
- electrical oven with volume 43l
- lower heating element 1,2 kW
- upper heating element 0,8 kW
- thermoregulator
- oven lightning
- oven door with STOP-function
- cooktop glass cover
- double heat resistant oven door
- utensils compartment

MODEL	5004.10 э	5004.12 э	5004.13 э	5004.14 э	5003.17 э
Number of hot plates	4	4	4	4	3
Hot plate power	1,0 kW 1,0 kW 1,5 kW 2,0 kW	1,0 kW 1,0 kW 1,5 kW 1,5 kW	1,0 kW 1,0 kW 1,5 kW 2,0 kW	1,0 kW 1,0 kW 1,5 kW 1,5 kW	1,0 kW 1,5 kW 1,5 kW –
Non-recurrent consumed power	6,1 kW	5,6 kW	6,1 kW	5,6 kW	6,1 kW
Grill	1,8 kW	–	–	–	–
Rotisserie with electromotor	+	–	–	–	–
Mechanical timer	+	–	–	–	–
Oven lightning	+	–	–	–	–

506004.00 э T A

506004.03 э T A

506004.04 э T A



- 2hot plates 1,0 and 1,5 kW
- 2 express hot plates 1,5 and 2,0 kW
- Electrical oven with volume 54l
- lower heating element 1,2 kW
- upper heating element 0,8 kW
- thermoregulator
- oven lightning
- oven door with STOP function
- cooktop glass cover
- double heat resistant oven door
- non-recurrent consumed power 6,0 kW
- utensils compartment

MODEL	506004.00 э	506004.03 э	506004.04 э
Hot plate power	1,0 kW 1,5 kW 1,5 kW экс 2,0 kW экс	1,0 kW 1,5 kW 1,5 kW экс 2,0 kW экс	1,0 kW 1,0 kW 1,5 kW 1,5 kW
Non-recurrent consumed power	6,0 kW	6,0 kW	5,5 kW
Electrical grill	1,8 kW	–	–
Rotisserie with electromotor	+	–	–
Mechanical timer	+	+	–
Lightning	+	+	–

ELECTRICAL COOKERS WITH GLASS CERAMIC COOKTOP

COOKERS WITH GLASS CERAMIC COOKTOP

506004.03 эс

506004.04 эс

506003.04 эс

- cook top Neoceram
- 4 heating zones 1,2/1,2/1,7/1,7 kW
- 7-position hot plate power switch
- residual heat indicator
- electrical oven with volume 54l
- thermoregulator
- lower heating zone 1,2kW
- upper heating zone 0,8kW
- oven lightning
- double glass oven door
- oven door with STOP function
- non-recurrent consumed power 6,1 kW
- utensils compartment

MODEL	506004.03 эс	506004.04 эс	506003.04 эс
Heating zones	4	4	3
Residual heat indicator	+	–	–
Electrical grill	1,8 kW	–	–
Rotisserie with electromotor	+	–	–
Mechanical timer	+	–	–

The manufacturer reserves
the right to modificate construction
and design of cookers without their
introducing into the catalog.

De luxe®

JSC "PPO EVT n.a. V.A. Revunov"
Gagarina St., 13
Penza, 440039, Russia
8 800 100 86 80
www.ppoevt.ru